?	1/03	-18A

File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy Application No. ... WATER WELL REPORT STATE OF WASHINGTON Permit No. (1) OWNER: Name Arrow head Beach Water Asen Address Canano Is Wa 48842 # 1 1 NE 1 Sec 18 T32 N. R.3 E W.M. (2) LOCATION OF WELL: County /s/4nd Bearing and distance from section or subdivision corner (10) WELL LOG: Domestic [Industrial [Municipal [(3) PROPOSED USE: Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. Irrigation [Test Well [Other Owner's number of well (if more than one)...... (4) TYPE OF WORK: MATERIAL FROM Method: Dug Bored [New well 8 **2**5 -Yellow &lay Driven 🗋 Cable \square Deepened ⁻د 3. Jetted 🗆 Rotary (4) Reconditioned [ر**3**ن 122 Diameter of well 6 122 /3> (5) DIMENSIONS: inches. fine sand · water Drilled 13 7 ft. Depth of completed well 13 7 ft. (6) CONSTRUCTION DETAILS: Casing installed: 6 Diam. from 6 tt. to 12 7 nt. Thereis 5 & 5" Pipe on bottom end of screen Threaded [......" Diam. from ft. to ft. Welded P Perforations: Yes 🗆 No 🗹 Type of perforator used SIZE of perforations in. by in. perforations from ft. to ft. perforations from ft. to ft. perforations from _____ ft. to _____ ft. Screens: Yes No 🗆 Manufacturer's Name Jeha 500 Type Model No. 304 Diam. 6. Slot size 15 from 127 ft. to 132 ft. Diam. Slot size from ft. to Gravel packed: Yes | No E Size of gravel: Gravel placed from ft. to ft. Surface seal: Yes / No D To what depth? Material used in seal Mud Did any strata contain unusable water? Yes Type of water?..... Depth of strata... Method of sealing strata off..... (7) PUMP: Manufacturer's Name Jacus,

Type: Sud mersible HP 2 Land-surface elevation 123 above mean sea level 123 (8) WATER LEVELS: Static level 123ft. below top of well Date Artesian water is controlled by (Cap, valve, etc.) Drawdown is amount water level is lowered below static level Work started Sept 21, 19 7/ Completed Sept 30 (9) WELL TESTS: Was a pump test made? Yes F No I If yes, by whom? Dr. 1/er WELL DRILLER'S STATEMENT: ft. drawdown after 48 gal./min. with 🗳 hrs. Yield: 20 This well was drilled under my jurisdiction and this report is •• true to the best of my knowledge and belief. .. Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) NAME Younkel Well Drilling
(Person, firm, or corporation) (Type or print) Time Water Level | Time Water Level | Time 000 127 Address 747 N Smith Rd Camanols Wa 48 24. 002 123 & Kaunkel Date of test Sept 30/97/ Bailer test......gal./min. with......ft. drawdown after. License No. 247 Date 20 2 , 19 77

File Original and First Copy with Department of Ecology	WATER WE	Application No Service No. 61-22586		
Second Copy — Owner's Copy Third Copy — Driller's Copy	STATE OF W			
(1) OWNER: Name ARROWHERD	O BEACH 60	Address	- CAMPNOTSLAND	
(2) LOCATION OF WELL: County #	SLAND	KE,_4K	E 1/2 Sec. /8 T37 N.	RJE WM.
Bearing and distance from section or subdivision co				
(3) PROPOSED USE: Domestic [] Indus	strial [] Municipal []	(10) WELL LOG:		
Irrigation Test	Well Other	Formation: Describe by color, control thickness of aquifers and stratum penetrated, with at lea	haracter, size of material and st the kind and nature of the mat st one entry for each change o	tructure, and erial in each of formation.
(4) TYPE OF WORK: Owner's number of (if more than one).	well	MATERIA		
New well Method:	Dug Bored Cable Driven	Yellow Elay	0	25
Deepened □ Reconditioned □	Rotary Jetted	Clayer Sana		
	<u> </u>	dry sand		
(5) DIMENSIONS: Diameter of we Drilled 13.7. Depth of completed	inches d well /3 7 ft.	fine sand	/22	2 /3 /
(6) CONSTRUCTION DETAILS:				
Casing installed: Diam. from	U ft. to 127 ft.			
Threaded []" Diam. from	ft. to ft.			
Welded D Diam. from	ft. to ft.			
Perforations: Yes No E				
Type of perforator used				
SIZE of perforationsin.	. by in.			
perforations from perforations	ft. to ft.			
perforations from	ft. to ft.			-
Screens: Yes No No Manufacturer's Name Johnse				
m 55 M	Indel No. 3. 2.			
Diam & Slot size /-> from ./	it. to at it. It.			
Diam. Slot size PIPS from L.	J IL to IL			
Gravel packed: Yes 🗆 No 🗗 Size o	of gravel:			
Gravel placed from ft.	. to <u>ft</u> .			
Surface seal: Yes No D To what	depth? 2.5 ft.			
Material used in seal	er? Yes 🗌 No 🗗	-		
Type of water? Depth	of strata			
Method of sealing strata off				
(7) PUMP: Manufacturer's Name				
Type:	НР			
(8) WATER LEVELS: Land-surface ele	evation /2 3 ft.			
Static level	nch Date			-
Artesian pressure	/G			
(9) WELL TESTS: Drawdown is amo lowered below sta	ount water level is	Work started 9/3 3/	19.7/ Completed 9/322	, 19.7.
Was a pump test made? Yes ☑ No ☐ If yes, by Yield: 20 gal./min. with 3 ft. drawd	down after 48 hrs.	WELL DRILLER'S ST	ATEMENT:	
YIEIG: 20 gaily man. with		This well was drilled u	inder my jurisdiction and t	his report is
0 0 0	. "	true to the best of my kr	owledge and belief.	
Recovery data (time taken as zero when pump	turned off) (water level	Karaki	Vall Dailling	
measured from well top to water level) Time Water Level Time Water Level	Time Water Level	NAME (Person, fire	n, or copperficien) (Type	or print)
0 126		207 N S.	TARA Carrianols	W2 98294
		Address Z. T. Z.	en and the second	
Date of test 9/30/7/	ļ	[Signed] USJ 72	aunkel.	
Date of test gal/min with ft. draw	wdown afterhrs	[Signea]	, (Well Driller)	
Artesian flow g.p.m. Date.			Date 8/27	19 7 7
Temperature of water 5 Was a chemical anal	iysis made? Yes 🔁 No 🗆	License No.	Dave wy	

SEP 9 1977
UEPT OF ECOLOGY